



Cisco

300-725 Exam

**Cisco Securing the Web with Cisco Web Security Appliance
(300-725 SWSA) Exam**

**Questions & Answers
Demo**

Version: 4.0

Question: 1

DRAG DROP

Drag and drop the Cisco WSA methods from the left onto the correct deployment modes on the right.

WPAD	Transparent Mode <div style="border: 1px solid black; height: 20px; width: 100%;"></div> <div style="border: 1px solid black; height: 20px; width: 100%;"></div>
WCCP	
PAC	
PBR	
	Explicit Mode <div style="border: 1px solid black; height: 20px; width: 100%;"></div> <div style="border: 1px solid black; height: 20px; width: 100%;"></div>

Answer:

WPAD	Transparent Mode <div style="border: 1px solid black; padding: 5px; text-align: center;">WCCP</div> <div style="border: 1px solid black; padding: 5px; text-align: center;">PBR</div>
WCCP	
PAC	Explicit Mode <div style="border: 1px solid black; padding: 5px; text-align: center;">PAC</div> <div style="border: 1px solid black; padding: 5px; text-align: center;">WPAD</div>
PBR	

Explanation:

You could use an explicit setting (browser config/PAC/WPAD) or transparent (WCCP/PBR) to point to the first proxy and then the first proxy will route based on category to one of the two upstream proxies based on your policy configuration.

Reference:

<https://community.cisco.com/t5/web-security/route-to-wsa-based-on-destination/td-p/2491179>

Answer: AD

Reference:

https://www.cisco.com/c/en/us/td/docs/security/wsa/wsa11-0/user_guide/b_WSA_UserGuide/b_WSA_UserGuide_chapter_0100.html

Question: 5

Which two configuration options are available on a Cisco WSA within a decryption policy? (Choose two.)

- A. Pass Through
- B. Warn
- C. Decrypt
- D. Allow
- E. Block

Answer: AC

Reference:

https://www.cisco.com/c/en/us/td/docs/security/wsa/wsa11-7/user_guide/b_WSA_UserGuide_11_7/b_WSA_UserGuide_11_7_chapter_01011.html