



**Cisco**

**300-835 Exam**

**Cisco Automating Cisco Collaboration Solutions Exam**

**Questions & Answers  
Demo**

# Version: 5.0

---

## Question: 1

---

What is a benefit of using Python virtual environments?

- A. It isolates dependencies of every project from the system and each other.
- B. It allows Python to differentiate between package versions.
- C. It frees the developer from installing the project dependencies.
- D. It puts dependent packages in a common site-packages directory.

---

**Answer: A**

---



---

## Question: 2

---

DRAG DROP

Drag and drop the botkit functions from the left onto the correct actions on the right.

*Answer Area*

hears()	Adds a question to the thread and evaluate the answer.
ask()	Sends a message with no pause for response.
say()	Replies to an incoming message.
reply()	Listens for keyword, phrases, or patterns in messages from users.

---

**Answer:**

---

Answer Area

hears()	ask()
ask()	say()
say()	reply()
reply()	hears()

**Question: 3**

Refer to the exhibit.

```
#!/usr/bin/env python3
import sys
import argparse

token = sys.argv[1]
url = "%s://%s://%s/%s" % (token, "api", "v1", "rooms")
room_id = "CiscoDevNet@webex"

msg = {}

msg["roomId"] = room_id
msg["type"] = "message"

reply_msg = {
    "roomId": room_id,
    "type": "message"
}

msg["messages"] = [
    {
        "roomId": room_id,
        "type": "message",
        "text": "Hello World!"
    }
]

response = requests.get(url, headers={"Authorization": "Bearer %s" % token})
print(response.json())
```

Which code snippet is used to mention the bot CiscoDevNet@webex.bot?

- A. <@personEmail.CiscoDevNet@webex.bot>
- B. @CiscoDevNet@webex.bot
- C. @personEmail.CiscoDevNet@webex.bot
- D. (@personEmail.CiscoDevNet@webex.bot)

**Answer: B**

**Question: 4**

DRAG DROP

An administrator is creating a script using the Python xAPI over WebSockets (py xows) library. The goal of the script is to capture an event generated by a UI Extensions action button (former In-Room Control Panel).

When the action button is clicked, the script displays an alert that says that the button ID was clicked.

Drag and drop the code snippets into the locations to complete the script:

Answer Area

```
import xows
import asyncio

async def start(ip, usr, pw):
    async with xows.XoWSClient(ip,username=usr, password=pw) as client:
        async def callback(data,id_):
            [redacted]
            [redacted]
            [redacted]
        await client.wait_until_closed()
    async def task():
        [redacted]
        [redacted]
```

- [redacted] await client.xCommand(['UserInterface', 'Message', 'Alert', 'Display'], Title=panelid, Text= "Was clicked")
- [redacted] panelId = data['Event']['UserInterface']['Extensions']['Panel']['Clicked']['PanelId']
- [redacted] await start('10.10.10.1', 'admin', 'T357c45e')
- [redacted] await client.subscribe(['Event', 'UserInterface', 'Extensions', 'Panel', 'Clicked'], callback, True)
- [redacted] asyncio.run(task())

**Answer:**

Answer Area

```
import xows
import asyncio

async def start(ip, usr, pw):
    async with xows.XoWSClient(ip,username=usr, password=pw) as client:
        async def callback(data,id_):
            [redacted]
            [redacted]
            [redacted]
        await client.wait_until_closed()
    async def task():
        [redacted]
        [redacted]
```

- [redacted] await client.xCommand(['UserInterface', 'Message', 'Alert', 'Display'], Title=panelid, Text= "Was clicked")
- [redacted] panelId = data['Event']['UserInterface']['Extensions']['Panel']['Clicked']['PanelId']
- [redacted] await start('10.10.10.1', 'admin', 'T357c45e')
- [redacted] await client.subscribe(['Event', 'UserInterface', 'Extensions', 'Panel', 'Clicked'], callback, True)
- [redacted] asyncio.run(task())

**Question: 5**

DRAG DROP

Drag and drop the code to complete the curl command that creates a halfwake brand logo using the xAPI HTTP API. Not all options are used. Code can be used more than one time.



