



Cisco

300-920 Exam

**Cisco Developing Applications for Cisco Webex and
Webex Devices (DEVWBX) Exam**

**Questions & Answers
Demo**

Version: 4.0

Question: 1

DRAG DROP

Drag and drop the components to create the authentication header used for the Webex Teams API. Not all options are used.

Answer:

Reference:

<https://developer.webex.com/docs/guest-issuer>

Question: 2

Refer to the exhibit.

```
const xml = `<?xml version= "1.0" encoding= "UTF-8"?>
<serv:message xmlns:xsi= "http://www.w3.org/2001/XMLSchema-instance"
xmlns:serv="http://www.webex.com/schemas/2002/06/service"
xsi:schemaLocation="http://www.webex.com/schemas/2002/06/service"
http://www.webex.com/schemas/2002/06/service/service.xsd">
  <header>
    <securityContext>
      <webExID>admin@cisco.com</webExID>
      <password>password</password>
      <siteName>cisco</siteName>
      <returnAdditionalInfo>true</returnAdditionalInfo>
    </securityContext>
  </header>
  <body>
    <bodyContent xsi:type= "java:com.webex.service.binding.user.SetUser">
      <webExId>user@cisco.com</webExId>
      <personalMeetingRoom>
        <hostPIN>3421</hostPIN>
      </personalMeetingRoom>
    </bodyContent>
  </body>
</serv:message>;
var xmlhttp = new XMLHttpRequest();

<< missing code >>

xmlhttp.setRequestHeader('Content-Type', 'text/xml');
xmlhttp.send(xml);`
```

A developer must construct an HTTP Request to use the XML API to set a Personal Meeting Room PIN for a given user.

Which code completes the code to create the request?

- A. xmlhttp.open("GET", "<https://cisco.webex.com/WBXService/XMLService>");
- B. xmlhttp.open("PATCH", "<https://cisco.webex.com/WBXService/XMLService>");
- C. xmlhttp.open("PUT", "<https://cisco.webex.com/WBXService/XMLService>");
- D. xmlhttp.open("POST", "<https://cisco.webex.com/WBXService/XMLService>");

Answer: D

Explanation:

The post method can be used for HTTP request that sets up a personal meeting room PIN for a user.

Question: 3

Which expression is a valid Webex Teams webhook filter?

- A. personEmail=person@example.com+roomId=abc123
- B. personEmail=person@example.com-roomId=abc123
- C. personEmail=person@example.com&roomId=abc123
- D. personEmail=person@example.com,roomId=abc123

Answer: C

Explanation:

You can also use more than one filter in a webhook. To use multiple filters, combine them with the “&” symbol. For example, to create a webhook that only sends notifications when a specific person performs an action in a specific room, such as sending a message or creating a membership, combine the personEmail and roomId filters.

Reference:

<https://developer.webex.com/docs/api/guides/webhooks>

Question: 4

Which REST API request is used to list all the Webex Room Kit devices within a large organization so that a new custom In-Room Control can be deployed on all the devices?

```
14.
var request = require("request");
var options = { method: "GET",
  url: "https://api.cisco.com/w/1/ckwices?",
  qs: { product: "CiscoMkt" },
  headers:
    { "Content-Type": "application/json",
      Authorization: "Basic Yz6Bt-gp4Wz/Pgjb6/C2Q? "};

request(options, function(error, response, body) {
  if (error) throw new Error(error);
  console.log(body);
});
```

```
15.
var request = require("request");
var options = { method: "GET",
  url: "https://api.cisco.com/w/1/ckwices?",
  qs: { product: "CiscoMkt", password: "Yz6Bt-gp4Wz/Pgjb6/C2Q?w" },
  headers:
    { "Content-Type": "application/json",
      Authorization: "Basic Yz6Bt-gp4Wz/Pgjb6/C2Q? "};

request(options, function(error, response, body) {
  if (error) throw new Error(error);
  console.log(body);
});
```

```

C.
var request1 : requires("request1");
var options : { method: "GET",
  url: "https://api.ciscoeqpark.com/v1/devices?Y/61-g0Wwz/Pjbt6/C2W",
  qs: { deviceName: "RoomKit" },
  headers:
    { "Content-Type": "application/json",
      Authorization: "Bearer Y/61-g0Wwz/Pjbt6/C2W" }};

request1(options, function(error, response, body) {
  if (error) throw new Error(error);
  console.log(body);
});
});

D.
var request1 : requires("request1");
var options : { method: "GET",
  url: "https://api.ciscoeqpark.com/v1/devices?",
  qs: { upgrade:(shannel "RoomKit" ),
  headers:
    { "Content-Type": "application/json",
      Authorization: "Bearer Y/61-g0Wwz/Pjbt6/C2W" }};

request1(options, function(error, response, body) {
  if (error) throw new Error(error);
  console.log(body);
});
});

```

- A. Option A
- B. Option B
- C. Option C
- D. Option D

Answer: A

Explanation:

The qs: option is required to list all roomkit devices. Product: 'RoomKit' is the correct option because it will list all roomkit devices.

Question: 5

DRAG DROP

Drag and drop the code onto the snippet to construct the JavaScript to create a new meeting with the Webex Meetings XML API. Options can be used more than once.

